



MINISTER OF TRADE OF THE REPUBLIC OF INDONESIA

REGULATION OF THE MINISTER OF TRADE OF THE REPUBLIC OF INDONESIA
NUMBER 12/M-DAG/PER/2/2017
CONCERNING
AMENDMENT ON REGULATION OF THE MINISTER OF TRADE
NUMBER 84/M-DAG/PER/12/2016 CONCERNING EXPORT PROVISIONS FOR
FORESTRY INDUSTRIAL PRODUCTS

BY THE GRACE OF THE ALMIGHTY GOD

THE MINISTER OF TRADE OF THE REPUBLIC OF INDONESIA,

- Considering :
- a. that to increase the effectiveness of forestry industrial product export performance, it is necessary to amend some provisions in the Regulation of the Minister of Trade Number 84/M-DAG/PER/12/2016 concerning Export Provisions for Forestry Industrial Products;
 - b. that in connection with the stipulated Regulation of the Minister of Finance Number 6/PMK.010/2017 concerning Stipulation of Goods Classification System and Imposition of Import Duty Tariff upon Imported Goods, the adjustment towards Tariff Post/HS and goods description upon forestry industrial products is necessary to be conducted as regulated in the Regulation of the Minister of Trade Number 84/M-DAG/PER/12/2016 concerning Export Provisions for Forestry Industrial Products;
 - c. that based on considerations as intended in letter a and letter b, it is necessary to stipulate Regulation of the Minister of Trade concerning Amendment upon the Regulation of the Minister of Trade Number



84/M-DAG/PER/12/2016 concerning Export Provisions of Forestry Industrial Products;

- In view of :
1. Law Number 7 of 2014 concerning Trade (State Gazette of the Republic of Indonesia of 2014 Number 45, Supplementary State Gazette of the Republic of Indonesia Number 5512);
 2. Regulation of the Minister of Trade Number 08/M-DAG/PER/2/2016 concerning Organization and Administration of the Trade Ministry (State Gazette of the Republic of Indonesia of 2016 Number 202);
 3. Regulation of the Minister of Trade Number 84/M-DAG/PER/12/2016 concerning Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2016 Number 2006);
 4. Regulation of the Minister of Finance Number 6/PMK.010/2017 concerning Stipulation of Goods Classification System and Imposition of Import Duty Tariff upon Imported Goods (State Gazette of the Republic of Indonesia of 2017 Number 176);

HAS DECIDED:

To stipulate : REGULATION OF THE MINISTER OF TRADE CONCERNING AMENDMENT ON THE REGULATION OF THE MINISTER OF TRADE NUMBER 84/M-DAG/12/2016 CONCERNING EXPORT PROVISIONS FOR FORESTRY INDUSTRIAL PRODUCTS.

Article 1

Some provisions in the Regulation of the Minister of Trade Number 84/M-DAG/PER/12/2016 concerning Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2016 Number 2006) are amended as follows:

1. Provisions of paragraph (1) Article 5 are amended, so that paragraph (1) Article 5 shall read as follows:



Article 5

- (1) Forestry Industrial Products including in Appendix I Group A with Tariff Post/HS Ex. 4407.11.00 to Ex. 4407.99.90, Ex. 4409.10.00 to 4409.29.00, Ex. 4418.10.00 to Ex. 4418.99.90 (except door and shutter), and 9406.10.90 can be exported besides to fulfill provisions of Article 4 paragraph (1), it also has to meet technical criteria.
 - (2) Technical criteria as intended in paragraph (1) shall be attached in Appendix II which is inseparable part of this Regulation of Minister.
 - (3) Forestry Industrial Products from coconut Wood and oil palm Wood in Surfaced Four Side (S4S) or its continued processing can be exported and excepted from technical criteria as intended in paragraph (2).
2. Provisions of paragraph (1) Article 8 are amended, and 1 (one) paragraph is inserted between paragraph (4) and paragraph (5) Article 8, namely letter (4a), so that Article 8 shall read as follows:

Article 8

- (1) Forestry Industrial Products as intended in Article 5 paragraph (1) can only be exported after Verification or Technical Investigation is conducted before loading goods.
- (2) Verification or Technical Investigation performance as intended in paragraph (1) shall be conducted by Surveyor stipulated by the Minister.
- (3) To be stipulated as the executor of Verification or Technical Investigation of Forestry Industrial Products, Surveyor shall have to fulfill requirements:
 - a. having Survey Services Business License (SIUJS);
 - b. having obtained accreditation as Inspection Institution from National Accreditation Committee (KAN);
 - c. having obtained competence statement letter as admitted surveyor having technical skills in the field of



- Verification or Technical Investigation of Forestry Industrial Products; and
- d. having broad service network in Indonesian territory.
- (4) Verification or Technical Investigation of Forestry Industrial Products shall include:
- a. administrative validity verification activity towards
1. Industry Registration Certificate (TDI) or Industry Business License (IUI), for forestry industrial company;
 2. Trade Business License (SIUP), for trading company in the field of Forestry Industrial Product export;
 3. Company Registration Certificate (TDP); and
 4. V-Legal Document.
- b. physical verification activity towards:
1. quantity, type, brand and packaging number;
 2. quantity of goods;
 3. type of Wood;
 4. technical criteria fulfillment;
 5. conformity investigation between goods description with Tariff Post/HS based on goods classification provisions;
 6. loading supervision into container, if its shipping uses container; and
 7. seal application onto the container if all goods in the container are inspected by Surveyor.
- (4a) Forestry Industrial Products as attached in Appendix I Group B which is inseparable part of this Regulation of Minister can only be exported after Verification or Technical Investigation is conducted in accordance with provisions of laws and legislations.
- (5) Result of Verification or Technical Investigation as intended in paragraph (4) shall be conveyed in the form of Surveyor Report (LS) to be used as customs



supplementary documents required for export customs notification delivery to customs office.

3. 1 (one) article is inserted between Article 18 and Article 19, namely Article 18A, so that Article 18A shall read as follows:

Article 18A

As this Regulation of Minister comes into effect, recommendation as intended in Article 17 issued based on the Regulation of the Minister of Trade Number 89/M-DAG/PER/10/2015 concerning Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2015 Number 1554) as amended with the Regulation of the Minister of Trade Number 25/M-DAG/PER/4/2016 concerning Amendment on the Regulation of the Minister of Trade Number 89/M-DAG/PER/10/2015 concerning Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2016 Number 671) shall be declared to remain in effect to its validity period terminates.

4. Provisions of Article 19 are amended, so that Article 19 shall read as follows:

Article 19

As this Regulation of Minister comes into effect:

- a. Regulation of the Minister of Trade Number 89/M-DAG/PER/10/2015 concerning Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2015 Number 1554) as amended with the Regulation of the Minister of Trade Number 25/M-DAG/PER/4/2016 concerning Amendment upon the Regulation of the Minister of Trade Number 89/M-DAG/PER/10/2015 concerning Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2016 Number 671); and
- b. provisions of Article 3 paragraph (6) of the Regulation of the Minister of Trade Number 35/M-DAG/PER/11/2011



concerning Export Provisions for Rattan and Rattan Products
(State Gazette of the Republic of Indonesia of 2011 Number
804),

shall be revoked and shall be declared null and void.

5. Appendix I and Appendix II of Regulation of the Minister of Trade Number 84/M-DAG/PER/12/2016 on Export Provisions for Forestry Industrial Products (State Gazette of the Republic of Indonesia of 2016 Number 2006) are amended so that as attached in Appendix I and Appendix II which are inseparable parts of this Regulation of Minister.

Article II

This Regulation of Minister shall come into effect as from the date of its stipulation.

For public cognizance, ordering the promulgation of this Ministerial Regulation in the Official Gazette of the Republic of Indonesia.

Stipulated in Jakarta
on 28 February 2017

THE MINISTER OF TRADE OF RI,

sgd.

ENGGARTIASTO LUKITA

Stipulated in Jakarta
on 1 March 2017

DIRECTOR GENERAL
LAWS AND LEGISLATIONS
THE MINISTRY OF LAW AND HUMAN RIGHTS



THE REPUBLIC OF INDONESIA,

sgd.

WIDODO EKATJAHJANA

STATE GAZETTE OF THE REPUBLIC OF INDONESIA YEAR 2017 NUMBER 357

Copy conforms to the original
Secretariat General
The Ministry of Trade
Head of Legal Bureau,

M. SYIST



APPENDIX I

REGULATION OF THE MINISTER OF TRADE OF RI

NUMBER 12/M-DAG/PER/2/2017

CONCERNING


AMENDMENT UPON THE REGULATION OF THE MINISTER OF TRADE

NUMBER 84/M-DAG/PER/12/2016 CONCERNING EXPORT

PROVISIONS FOR FORESTRY INDUSTRIAL PRODUCTS

GROUP A


NO.	NUMBER OF TARIFF POST / HS	GOODS DESCRIPTION
1.	Ex. 4401.21.00 Ex. 4401.22.00	Wood in chip or particles.
2	Ex. 4404.10.00 Ex. 4404.20.10	Chipwood.
3	Ex. 4407.11.00 to Ex. 4407.99.90	sawn timber processed further by flattening its four sides to have flat and smooth surface with thickness over 6 mm (S4S); processed wood obtained by joining dried sawn wood and its four sides are pressed after finger jointed process with thickness over 6 mm.
4	Ex. 4408.10.10 to Ex. 4408.90.90	Veneer (joint or not) and other wood are sawn lengthening, split, or skinned either pressed, scoured or end jointed or not with thickness not more 6 mm.
5	Ex. 4409.10.00 to Ex. 4409.29.00	Wood (including line and cut for board floor, uninstalled) formed unbroken (given tongue, grooved, its side is excavated, rimmed, given tongue and groove, tilted side, in V, beaded, given formed pole, rounded or similarly), along its side or surface, pressed or no scoured or finger jointed.
6	Ex. 4410.11.00 to	Particle board, Oriented Strand Board, and similar




	Ex. 4410.90.00	wooden board or material containing wood lignin, agglomerated with resin or other organic adhesives or not.
7	Ex. 4411.12.00 to Ex. 4411.94.00	Fiber board made of wooden fiber or material containing wood lignin, glued with resin, other organic materials or not.
8	Ex. 4412.31.00 to Ex. 4412.99.90	Plywood, wooden-layered panel and similar layered wood.
9	Ex. 4413.00.00	Solidified wood in block, plate, groove or profile.
10	Ex. 4414.00.00	Wooden frame for painting, photo, mirror, or similar items.
11	Ex. 4415.10.00 Ex. 4415.20.00	Case, box, crate, drum and similar wooden packing, wooden cable drum, box pallet and board for other wooden loadings, wooden pallet collar.
12	Ex. 4416.00.10 Ex. 4416.00.90	Cask, barrel, vessel, basin and other products of barrel/basin making and its wooden part, including curve board for cask.
13	Ex. 4417.00.10 to Ex. 4417.00.90	Wooden utensils, utensil body, utensil handle, broom body and handle or brush with its handle; wooden boot or shoe last and tree.
14	Ex. 4418.10.00 to Ex. 4418.99.90	Wooden furniture and construction materials, including cellular wooden panel, floor cover panel assembling, or shingle and shake.
15	Ex. 4419.90.00	Wooden dining and kitchen equipment other than bamboo.
16	Ex. 4421.99.20	Matches wooden stick.
17.	Ex. 4421.99.99	Wooden paving Block.
18.	4701.00.00	Mechanic wood pulp.
19.	4702.00.00	Chemical wood pulp, dissolving grade.
20.	4703.11.00 to 4703.29.00	Chemical, soda or sulphate wood pulp, other than dissolving grade.
21.	4704.11.00 to 4704.29.00	Chemical, sulphate wood pulp, other than dissolving grade.



NO.	NUMBER OF TARIFF POST / HS	GOODS DESCRIPTION
22.	4705.00.00	Wood pulp obtained through pulp making combination process mechanically and chemically.
23.	Ex. 4802.10.00 to Ex. 4802.69.99	Non layered paper and cardboard, from type used for writing, printing or other graphical purposes, and paper for punch card and punch tape non perforated, in rolls or rectangular sheet (including square) from various sizes, other than from post 48.01 or 48.03; hand-made paper and cardboard, deriving from wood.
24.	Ex. 4803.00.30 Ex. 4803.00.90	Toilet paper or tissue paper for face skin, towel paper or napkin paper and similar paper from the type used for household or sanitary needs, cellulose web and lumps from cellulose fiber, dried up, wrinkled, embossed, perforated, colored its surface, decorated or printed its surface or not, in rolls or sheet, deriving from wood.
25.	Ex. 4804.11.00 to Ex. 4804.59.90	Non layered craft paper (including sack craft paper) and cardboard, in rolls or sheet, other than intended in post 48.02 or 48.03, deriving from wood.
26.	Ex. 4805.11.00 to Ex. 4805.93.90	Other non layered paper and cardboard, in rolls or sheet, not worked or processed further other than described in Note 3 of this Chapter, deriving from wood.
27.	Ex. 4806.10.00 to Ex. 4806.40.00	Plant parchment, grease paper-proof, tracing paper and glassine and transparent paper polished or other transparent paper, in rolls or sheet, deriving from wood.
28.	Ex. 4807.00.00	Composite paper and composite cardboard (made by gluing some flat layers of paper or cardboard with adhesives), its surface is not layered or



		absorbed, the inner part is strengthened or not, in rolls or sheet, deriving from wood.
29.	Ex. 4808.10.00 to Ex. 4808.90.90	Paper and cardboard, wavy (with or without being glued with its flat sheet), dried up, wrinkled, embossed, perforated, in rolls or sheet, other than paper of type described in post 48.03, deriving from wood.
30.	Ex. 4809.20.00 to Ex. 4809.90.90	Cardboard, self-copy paper and copy paper or other transfer paper (including layered or absorbed paper for stencil duplicator or offset plate), printed or not, in rolls or sheet, deriving from wood.
31.	Ex. 4810.13.10. to Ex. 4810.99.90	Paper and cardboard, layered in one side or both with kaolin (Chinese clay) or other inorganic substances, with or without binding substances, and without other coatings, colored, decorated or printed its surface or not, in rolls or rectangular sheet (including square) from various sizes, deriving from wood.
32.	Ex. 4811.10.20 to Ex. 4811.90.99	Paper, cardboard, cellulose and web lumps of cellulose fiber, layered, absorbed, covered, colored its surface, decorated or printed its surface, in rolls or rectangular sheet (including square), from various sizes, other than items of type described in post 48.03, 48.09 or 48.10, deriving from wood.
33.	Ex. 4812.00.00	Block, plaque and sieve plate, of paper pulp, deriving from wood.
34.	Ex. 4813.10.00 to Ex. 4813.90.90	Cigarette paper, cut according to its size or not, either in booklet or tube, deriving from wood.
35.	Ex. 4814.20.10 to Ex. 4814.90.00	Wallpaper and similar wall covers; transparency paper for window, deriving from wood.
36.	Ex. 4816.20.10 to Ex. 4816.90.90	Cardboard, self-copy paper and copy paper or other transfer paper (other than intended in post 48.09), stencil duplicator and offset plate, from



		paper, prepared in box or not, deriving from wood.
37.	Ex. 4817.10.00 to Ex. 4817.30.00	Envelope, letter card, plain post card and corresponding card, from paper or cardboard; box, bag, wallet and writing compendium, from paper or cardboard, contains various letter paper, deriving from wood.
38.	Ex. 4818.10.00 to Ex. 4818.90.00	Toilet paper and similar paper, cellulose or web lumps from cellulose fiber, from type used for household or sanitary needs, in rolls with its width not more than 36 cm, or cut according to certain size or form; handkerchief, cleaning tissue, towel, tablecloth, napkin, bed-sheet and similar household needs, sanitary or hospital goods, clothes and cloth accessories, of paper pulp, paper, cellulose lumps or cellulose fiber web, deriving from wood.
39.	Ex. 4821.10.10 to Ex. 4821.90.90	Paper label or cardboard from any type, printed or not, deriving from wood.
40.	Ex. 4822.10.10 to Ex. 4822.90.90	Bobbin, cellos, cop and similar supporting tools from paper pulp, paper or cardboard (perforated or hardened or not), deriving from wood.
41.	Ex. 4823.20.10 to Ex. 4823.90.99	Paper, cardboard, cellulose lumps and other cellulose fiber web, cut according to its size or shape; other items from paper pulp, paper, cardboard, cellulose lumps or cellulose fiber web, deriving from wood.
42.	9401.61.00	Other seats with wooden frame with covering layer, other than type used in air transportation, motorized vehicle, adjustable rotated seat, seats other than bench or camping equipment can be changed to bed, from joint plants, osier, bamboo or similar material, with metal frame.
43.	9401.69.10	Other seats with wooden frame without covering layer, combined with rattan, other than type used in




		air transportation, motorized vehicle, adjustable rotated seat, seats other bench or camping equipment can be changed to bed, from joint plants, osier, bamboo or similar material, with metal frame.
44.	9401.69.90	Other seats with wooden frame without covering layer, combined with materials other than rattan, other than type used in air transportation, motorized vehicle, adjustable rotated seat, seats other bench or camping equipment can be changed to bed, from joint plants, osier, bamboo or similar material, with metal frame.
45.	9403.30.00	Wooden furniture from type used in office.
46.	9403.40.00	Wooden furniture from type used in kitchen.
47.	9403.50.00	Wooden furniture from type used in bedroom.
48.	- - 9403.60.10 - - 9403.60.90	- Other wooden furniture: - - Fume Cupboard - - others
49.	Ex. 9403.90.90	Wooden furniture parts.
50.	9406.10.90	Wooden prefabricated building.



GROUP B

NO	NUMBER OF TARIFF POST / HS	GOODS DESCRIPTION
1.	4601.22.00	Rattan matt, matting and blind.
2.	4601.93.20	Webbing and similar products from plaiting materials, jointed into stripe or not, from rattan.
3.	4601.93.20	Fan and handscreen, its frame and handle and part of frame and handle, from rattan.
4.	4601.93.90	Webbing and similar products from plaiting materials, tied jointly to be parallel string or weaving, in sheet, is finished or unfinished goods, other than rattan mat, matting and blind.
5.	4602.12.10 to 4602.12.90	Basket, webbing goods and other goods, made directly to be shaped from plaiting materials or made from items in post 46.01, from rattan.
6.	Ex. 9401.30.00	Adjustable rotated seat, from rattan.
7.	Ex. 9401.40.00	Seats other than bench or camping equipment, can be changed into bed, from rattan.
8.	9401.53.00	Rattan seat.
9.	Ex. 9401.61.00	Other seats with wooden frame given covering layer of rattan.
10.	Ex. 9401.69.90	Other seats with wooden frame, without covering layer, combined with rattan.
11.	Ex. 9401.71.00	Other seats with metal frame, given covering layer of rattan.
12.	Ex. 9401.79.90	Other seats with metal frame, without covering layer, combined with rattan.
13.	Ex. 9401.80.00	Other seats with frame other than wood or metal, combined with rattan.
14.	Ex. 9401.90.40	Parts of adjustable rotated seat, from rattan.
15.	Ex. 9401.90.99	Parts of rattan seat.
16.	9403.83.00	Rattan furniture and equipment.
17.	Ex. 9403.90.90	Parts of other furniture, from rattan.



THE MINISTER OF TRADE OF RI,

sgd.

ENGGARTIASTO LUKITA

Copy as a true copy
Secretariat General
The Ministry of Trade
Head of Legal Bureau,

M. SYIST



APPENDIX II

REGULATION OF THE MINISTER OF TRADE OF RI

NUMBER 12/M-DAG/PER/2/2017

CONCERNING

AMENDMENT UPON THE REGULATION OF THE MINISTER OF TRADE

NUMBER 84/M-DAG/PER/12/2016 CONCERNING EXPORT PROVISIONS

FOR FORESTRY INDUSTRIAL PRODUCTS

TECHNICAL CRITERIA USED TO DETERMINE EXPORTABLE CERTAIN
FORESTRY INDUSTRY PRODUCTS

1. Processing size and level

a. Processed Wood in S4S (surfaced four side) including HS.4407:

Processed wood products with its four sides flattened so that its surface becomes flat and smooth.

- derives from merbau timber with cross-sectional area provision not more than 10,000 mm².
- derives from other than merbau timber with cross-sectional area provision not more than 4,000 mm².

b. Processed Wood in E2E or E4E including HS.4409:

Derived processed wood products from S4S given curve angle in 2 (two) angles (E2E) or 4 (four) angles (E4E) with minimal curve angle provisions 3 mm (R3).

- derives from merbau timber with cross-sectional area provision not more than 10,000 mm².
- derives from other than merbau timber with cross-sectional area provision not more than 4,000 mm².

c. Finger Jointed including HS.4407:

Processed wood products resulted in by jointing sawn timber that its four sides have been dried and pressed after finger jointed process with length provision of each jointed piece is not more than 1,000 mm.



d. Decorative Profile including HS.4409:

Processed wood products resulted in by moulding with moulder machine, so that it shows aesthetic function (decorative function) and can be directly used without changing shape, unless cutting it according to its needed length size, with provisions as follows:

- 1) Size of profile width not more than 12,750 mm²;
- 2) For face width of Decorative Profile:
 - decorative at least half (1/2) face width in one side;
 - thickness not more than 25 mm, decorative depth at least 3 mm;
 - thickness more than 25 mm to 50 mm, decorative depth at least 6 mm;
 - thickness more than 50 mm, decorative depth at least 10 mm.
- 3) For face width of Decorative Profile:
 - decorative at least half (1/2) of face thickness in one side;
 - width not more than 50 mm, decorative depth at least 3 mm;
 - width more than 50 mm to 80 mm, decorative depth at least 6 mm;
 - width more than 80 mm to 100 mm, decorative depth at least 15 mm;
 - width more than 100 mm, decorative depth at least 20 mm.

For Decorative Profile with size of cross-sectional area is less than 1,000 mm² is not subjected in the provisions of size and decorative depth.

If any profile in 2 (two) sides the profile depth is the adding of the 2 (two) sides.

e. Profile Wood for Door Jamb or Window Jamb including HS.4409:

With cross-sectional area provision is not more than 7,200 mm².

f. Profile Wood for Door Frame or Window Frame including HS.4409:

With provisions as follows:

- thickness is not more than 40 mm;
- cross-sectional area is not more than 6,600 mm².

g. Wall Panel including HS.4409:

Having thickness size not more than 20 mm with cross-sectional area is not more than 4,000 mm² in tongue and groove, groove and groove or shiplap, with provisions as follows:



- width not more than 50 mm having internal groove and tongue height or shiplap at least 2 mm;
 - width more than 50 mm to 100 mm having internal groove and tongue height or shiplap at least 3 mm;
 - width more than 100 mm having internal groove and tongue height or shiplap at least 5 mm.
- h. Flooring including HS.4409:
Having thickness size not more than 35 mm with cross-sectional area is not more than 7,000 mm² in tongue and groove, groove and groove or shiplap, with provisions as follows:
- width not more than 50 mm having internal groove and tongue height or shiplap at least 2 mm;
 - width more than 50 mm to 100 mm having internal groove and tongue height or shiplap at least 3 mm;
- width more than 100 mm having internal groove and tongue height or shiplap at least 5 mm.
- i. Decking including HS.4409:
Having thickness size not more than 45 mm and cross-sectional area is not more than 9,000 mm², with provisions:
- from type of merbau timber, keruing, kempas, bangkirai, camphor, ironwood, and turvy wood.
 - thickness not more than 20 mm having internal reeded / groove in width side at least 1.5 mm;
 - thickness more than 20 mm to 35 mm having internal reeded/groove in width side at least 3 mm;
 - thickness more than 35 mm to 45 mm having internal reeded/groove in width side at least 5 mm.
- If any reeded/groove at 2 (two) sides then the reeded/groove depth is the adding of the 2 (two) sides.
- At least half of width surface has to be given reeded or given 2 (two) grooves with proportional distance along its wood.



j. Flooring for Truck, Container, Ship Deck and Wagon including HS.4409:

In tongue and groove or shiplap, with provisions as follows:

- from type of merbau, keruing, kempas and bangkirai;
- thickness not more than 50 mm;
- cross-sectional area not more than 12,000 mm²;
- internal groove and tongue height and shiplap depth at least 5 mm.

Particularly for pole, main sill, cross sill and truck body must be attached with pictures containing technical specifications in complete (set pictures are assembled) and must be exported along with its flooring.

k. Wooden building element which is a unit of building (HS.4418):

Must be in building element set along attached with pictures containing technical specifications in complete without changing shape and cutting it.

l. Wooden Prefabricated Building (HS.9406):

Must be in prefabricated building set attached with picture containing technical specifications in complete without changing shape and cutting it.

m. Post and Beam including HS.4409:

Processed wood products in E4E and given reeded/groove, with provisions as follows:

- cross-sectional area is not more than 4,500 mm² having reeded/groove in its 2 (two) sides, with depth in each side at least 2 mm;
- cross-sectional area is not more than 8,100 mm² having reeded/groove at its 4 (four) sides, with depth of each side at least 2 mm;
- cross-sectional area is above 8,100 mm² to 14,400 mm² having reeded/groove at its 4 (four) sides, with depth in each side at least 4 mm.

n. Window Board including HS.4409

With provisions as follows:

- one of its thick side is given bullnose profile (half-circle curve);
- having thickness size not more than 30 mm;
- cross-sectional area is not more than 7,800 mm².



2. Size and defect tolerance

- a. All processed wood sizes to be exported are given size tolerance as follows:
- thickness not more than 0.5 mm;
 - width not more than 1 mm;
 - length not more than 50 mm.
- b. Defect due to machine – defect is allowed not more than 5% of the exported volume quantity.

THE MINISTER OF TRADE OF RI,

sgd.

ENGGARTIASTO LUKITA

Copy conforms to the original

Secretariat General

The Ministry of Trade

Head of Legal Bureau,

M. SYIST

